

# Giving Shape to Ideas



# • • • •

Up to 45 ppm print/copy output for high-speed productivity Standard dual scanning at up to 160 originals per minute Large 9" color display with quick tablet-like interface Touchscreen for simple control and 3rd-party software integration Built-in Emperon<sup>®</sup> print system, universal printer drivers Simitri® HD polymerized toner for high-resolution imaging Standard 250 GB HDD for on-board document storage Meets ISO 15408 and IEEE 2600.1 Security standards New power-saving design with quick recovery from sleep mode 6,650-sheet maximum capacity, tab printing support, carbon-copy printing Advanced authentication, secure print release, remote firmware updates Finishing options for 80-page booklet-making 50-Sheet stapling, 2/3-hole punch, tri-fold and tab printing support Downloadable apps to help you work faster and smarter i-Options to add functions for working more efficiently EPEAT Gold-certified, low power consumption to cut costs Mobile printing support (AirPrint, Google Cloud Print, NFC)

# bizhub 454e

MONOCHROME MID-VOLUME MULTIFUNCTION PRINTER





And the sector of the second (3.10) interviewed and the second (3.10) interviewed (3.10) and per hole spatemental (3.10) and p

Amation enclosed for per

Special Offer



## bizhub 454e

The bizhub 454e gets the job done faster and better, delivering 45 ppm B&W print/copy output, standard dual scanning in color at up to 160 opm, 6,650-sheet maximum paper capacity, optional fax and modular finishing options – all with enhanced touch-and-swipe interface that's as easy as a familiar tablet.

#### System Overview

System Overview			
System memory	2,048 MB		
System hard disk	250 GB		
Interface	10-BASE-T/100-BASE-TX/1,000-BASE-T Ethernet, USB 2.0		
Network protocols	TCP/IP (IPv4/IPv6), SMB, LPD, IPP, SNMP, HTTP, HTTPS		
Frame types	Ethernet 802.2, Ethernet 802.3, Ethernet II, Ethernet SNAP		
Dual scan	Up to 100 originals / 5.5" x 8.5" to 11" x 17" / 35-163 gsm		
document feeder			
Printable paper size	Scanning/Copying: up to 11" x 17" Printing: up to 11" x 17" full bleed on 12" x 18" paper		
	Custom paper sizes		
	Banner paper max.: 11.75" x 47.25"		
Printable paper weight	52-300 gsm		
Paper input capacity	Standard: 1,150 sheets / Max.: 6,650 sheets		
Tray 1	500 sheets / 5.5" x 8.5" to 11" x 17" / 52-256 gsm		
Tray 2	500 sheets / 5.5" x 8.5" to 12" x 18" / 52-256 gsm		
Tray 3 (optional)	500 sheets / 5.5" x 8.5" to 11" x 17" / 52-256 gsm		
Tray 4 (optional)	2 x 500 sheets / 5.5" x 8.5" to 11" x 17" / 52-256 gsm		
Large capacity tray	2,500 sheets / 8.5" x 11" / 52-256 gsm		
PC-410 (optional)			
Large capacity tray LU-301 (optional)	3,000 sheets / 8.5" x 11" / 52-256 gsm		
Large capacity tray LU-204 (optional)	2,500 sheets / 8.5" x 11" to 12" x 18" / 52-256 gsm		
Manual bypass	150 sheets / 4" x 6" to 12" x 18" / custom paper sizes / 50-300 gsm		
Automatic duplexing	5.5" x 8.5" to 12" x 18" / 52-256 gsm		
Finishing modes	Offset, group, sort, punch, half-fold, tri-fold, booklet		
Output capacity	Max. with finisher: 3,300 sheets		
	Max. without finisher: 250 sheets		
Stapling (optional)	Max.: 50 sheets or 48 sheets + 1 cover sheet (up to 209 gsm)		
Stapling output capacity	Max.: 1000 sheets		
Tri-fold	Up to 3 sheets		
Tri-fold capacity	Max.: 30 sheets (tray)		
Booklet	Max.: 20 sheets or 19 sheets + 1 cover sheet (up to 209 gsm)		
Booklet output	Max.: 100 sheets (tray)		
capacity			
Copy/print volume	Max.: 175,000 pages/month <sup>1</sup>		
Toner lifetime	24,400 pages		
Imaging unit lifetime	130,000 pages / 590,000 pages (Drum / Developer)		
Power consumption	120 V / 50/60 Hz, less than 1.92 kW (system)		
System dimensions	24.2" x 27" x 36.3" (W x D x H)		
System weight	Approx. 205 lb		

## **Copier Specifications**

oopioi opooniounono		
Copying process	Electrostatic laser copy, tandem, indirect	
Toner system	Simitri® HD Polymerized Toner	
Print speed (8.5" x 11")	Up to 45 ppm (Portrait)	
Print speed (11" x 17")	<b>U</b> p to 22 ppm (Portrait)	
Autoduplex speed	Up to 45 ppm (Portrait)	
(8.5" x 11")		
1st copy out time	4.6 sec.	
Warm-up time	Approx. 22 sec. <sup>2</sup>	
Copy resolution	600 x 600 dpi	
Gradations	256 gradations	
Multi-copy	1-9,999	
Original format	Up to 11" x 17"	
Magnification	25-400% in 0.1% steps, auto zooming	
Copy functions	Chapter, cover and page insertion, proof copy (print and screen), adjustment test print, digital art functions, job setting memory, poster mode, image repeat, overlay (optional), stamping, copy protection	

#### **Printer Specifications**

Print resolution	1,800 x 600 dpi, 1,200 x 1,200 dpi	
PDL	PCL6 (XL 3.0), PCL5c, PostScript 3 (ver. 3016), XPS	
Operating systems	Windows (x32/x64): XP / Vista / 7 / 8 Windows Server (x32/x64): 2003 / 2008 / 2008 R2 <sup>3</sup> / 2012 <sup>3</sup> Macintosh OS X 10.2.8 or later UNIX / Linux / Citrix	
Printer fonts	80 PCL Latin, 137 PostScript 3	
Print functions	Direct Print of PCL, PS, TIFF, XPS, PDF, encrypted PDF files and OOXML (DOCX, XLSX, PPTX), mixmedia and mixplex, "Easy Set" job programming, overlay, watermark, copy protection, carbon copy print	

#### **Scanner Specifications**

obuillior opeoilloudior		
Scan speed	B&W / Color: up to 160 ipm	
Scan resolution	Max.: 600 x 600 dpi	
Scan modes	Scan-to-Email, Scan-to-SMB, Scan-to-FTP, Scan-to-Box, Scan-to- Scan-to-WebDAV, Scan-to-DPWS, Network TWAIN scan	
File formats	JPEG, TIFF, PDF, PDF/A 1a and 1b (optional), compact PDF, encrypted PDF and searchable PDF (optional), XPS, compact XPS, PPTX and searchable PPTX (optional), searchable DOCX/XLSX (optional)	
Scan destinations	2,100 (shared with fax), LDAP support	
Scan functions	Annotation (text/time/date) for PDF, up to 400 job programs, realtime scan preview	

#### **Fax Specifications**

Fax	Super G3 (optional)
Transmission	Analog, i-Fax, Color i-Fax, IP-fax
Resolution	Max.: 600 x 600 dpi (ultra-fine)
Compression	MH, MR, MMR, JBIG
Modem	Up to 33.6 Kbps
Destinations	2,100 (single + group)
Functions	Polling, time shift, PC-fax, receipt to confidential box, receipt to Email/FTP/SMB, up to 400 iob programs

#### **User Box Specifications**

Storable documents	Max.: 3,000 documents or 10,000 pages		
Type of user boxes	Public		
	Personal (with password or authentication)		
	Group (with authentication)		
Type of system boxes	Secure print, encrypted PDF, fax receipt, fax polling, annotation		
User box functionality	Reprint, combination, download, sending (Email/FTP/SMB and fax), copy box-to-box		

MONOCHROME MID-VOLUME MULTIFUNCTION PRINTER

#### m Feat

System Features	
Security	ISO 15408 EAL
	IEEE 2600.1
	IP filtering and port blocking
	SSL2, SSL3 and TSL1.0 network communication
	IPsec support
	IEEE 802.1x support
	User authentication
	Authentication log
	Secure print
	Hard disk overwrite (8 standard types)
	Hard disk data encryption (AES 128)
	Memory data auto deletion
	Confidential fax receipt,
	Print user data encryption
	Copy protection (Copy Guard, Password Copy) optional
Accounting	Up to 1,000 user accounts
	Active Directory support
	(user name + password + Email + SMB folder)
	User function access definition
	Optional Biometric authentication (finger vein scanner)
	Optional ID card authentication (ID card reader)
Software	PageScope Net Care Device Manager
	PageScope Data Administrator
	PageScope Box Operator
	PageScope Direct Print
	Print Status Notifier
	Driver Packaging Utility
	Log Management Utility

<sup>1</sup> Maximum monthly duty cycle describes the maximum number of pages a device can output on a monthly basis. This specification is a guideline intended to offer a comparison of durability as it relates to the entire Konica Minolta MFP and printer product line so that the appropriate device can be placed in order to meet customer needs <sup>2</sup> Warm-up time may vary depending on the operating environment and usage <sup>3</sup> Supports x64 only

Components and Options				
	Compo	nonto i	and Or	tiono

<b>Components and Option</b>	S		
AU-102 Biometric	Finger vein scanner		
authentication			
EK-606 USB I/F kit	USB keyboard connection		
EK-607 USB I/F kit	USB keyboard connection, Bluetooth		
DK-510 Copier desk	Provides storage space for print media and other materials		
FK-508 Fax board	Super G3 fax, digital fax functionality, lines 3 & 4 support		
FK-511 Fax board	Super G3 fax, digital fax functionality		
FS-533 Staple finisher	50-sheet stapling, 500 sheets max. output		
FS-534 Staple finisher	50-sheet stapling, 3,300 sheets max. output		
FS-534 + SD-511	50-sheet staple finisher, 20-sheet booklet finisher,		
Booklet finisher	3,300 sheets max. output		
ID card reader	Various ID card technologies		
JS-506 Job separator	Separation for fax output, etc.		
KH-102	To place USB keyboard		
Keyboard holder			
KP-101 10-Key pad	For use instead of touchscreen		
LK-101 v3	Web browser		
Web browser			
LK-102 v3	PDF/A, PDF encryption, digital signature		
PDF enhancements			
LK-104 v3	Provides voice guidance functions		
Voice guidance			
LK-105 v3	Searchable PDF		
OCR text recognition			
LK-106	Supports native barcode printing		
Barcode fonts			
LK-107 Unicode fonts	Supports native Unicode printing		
LK-108	Supports native OCR A and B font printing		
OCR A and B fonts	Supports native CONA and Brone printing		
LK-110 Enhanced	Generates various file formats incl. DOCX, XLSX and combines		
image support	LK-102 (encrypted PDF) + LK-105 (searchable PDF/OCR functionality)		
LK-111	Print data compression for reduced network impact		
ThinPrint <sup>®</sup> Client			
LU-204 Large	8.5" x 11" to 12" x 18", 2,500 sheets, 52-256 gsm		
capacity tray			
LU-301 Large	8.5" x 11", 3,000 sheets, 52-256 gsm		
capacity tray			
MK-728 Mount kit	Installation kit for FK-508 fax board		
MK-735 Mount kit	Installation kit for ID card reader		
OT-506 Output tray	Output tray used instead of finisher		
PC-110	5.5" x 8.5" to 11" x 17", 500 sheets, 52-256 gsm		
Universal tray (x1)			
PC-210	5.5" x 8.5" to 11" x 17", 2 x 500 sheets, 52-256 gsm		
Universal tray (x2)			
PC-410	8.5" x 11", 2,500 sheets, 52-256 gsm		
Large capacity tray	0/2 halo pupohing automitahing		
PK-519 Punch kit for FS-533	2/3-hole punching, autoswitching		
PK-520 Punch kit	2/3-hole punching, autoswitching		
for FS-534	ביס-ווסוג אמונטאוונין, מענטאיזנגרווויץ		
SC-508 Security kit	Copy Guard function (2x required)		
UK-204	Memory extension for i-Options		
i-Option memory			
UK-208 Wireless LAN	Wireless LAN to network connector		
WT-506 Working table	Authentication device placement		
ooo morking table			



© 2015 KONICA MINOLTA BUSINESS SOLUTIONS U.S.A., INC. All rights reserved. Reproduction in whole or in part without written permission is prohibited. KONICA MINOLTA, the KONICA MINOLTA logo, Count on Konica Minolta, bizhub, PageScope, Emperon, Simitri, and Giving Shape to Ideas are registered trademarks or trademarks of KONICA MINOLTA, INC. All other product and brand names are trademarks or registered trademarks of their respective companies or organizations. All features and functions described here may not be available on some products. Design & specifications are subject to change without notice.

KONICA MINOLTA BUSINESS SOLUTIONS U.S.A., INC. 100 Williams Drive, Ramsey, New Jersey 07446

## CountOnKonicaMinolta.com



ltem #: 454eSS 1/15 - S